



### Cemented Carbide Profile



Unit: mm

| Type        | L  | W  | T   | d | R |
|-------------|----|----|-----|---|---|
| CTC-TLWT-A1 | 12 | 12 | 1.5 | 4 | 2 |
| CTC-TLWT-A2 | 12 | 12 | 1.5 | 4 | 3 |
| CTC-TLWT-A3 | 12 | 12 | 1.5 | 4 | 4 |




Unit: mm

| Type        | L  | W  | T | d | R   |
|-------------|----|----|---|---|-----|
| CTC-TLWT-B1 | 12 | 13 | 2 | 4 | 2   |
| CTC-TLWT-B2 | 12 | 13 | 2 | 4 | 2.5 |
| CTC-TLWT-B3 | 12 | 13 | 2 | 4 | 3   |
| CTC-TLWT-B4 | 16 | 14 | 2 | 4 | 3   |



Unit: mm

| Type        | L  | W    | T | d   | R       |
|-------------|----|------|---|-----|---------|
| CTC-TLWT-C1 | 16 | 17.5 | 2 | 3   | 2.0~5.0 |
| CTC-TLWT-C2 | 16 | 17.5 | 2 | 3.5 | 2.0~6.0 |
| CTC-TLWT-C3 | 16 | 17.5 | 2 | 4   | 2.0~5.0 |
| CTC-TLWT-C4 | 16 | 17.5 | 2 | 4.4 | 2.0~5.0 |



Unit: mm

| Type        | L  | W    | T | d   | R        |
|-------------|----|------|---|-----|----------|
| CTC-TLWT-D1 | 24 | 20   | 2 | 4.4 | 6.0~10.0 |
| CTC-TLWT-D2 | 20 | 20.5 | 2 | 4   | 2.0~6.0  |




Unit: mm

| Type        | L  | W    | T | d | R |
|-------------|----|------|---|---|---|
| CTC-TLWT-E1 | 20 | 20.5 | 2 | 4 | 4 |




Unit: mm

| Type        | L  | W    | T | d | R       |
|-------------|----|------|---|---|---------|
| CTC-TLWT-F1 | 20 | 20.5 | 2 | 4 | 2.0~6.0 |



Unit: mm

| Type        | L    | W    | T | d | R   |
|-------------|------|------|---|---|-----|
| CTC-TLWT-G1 | 15   | 14.5 | 2 | 4 | 2   |
| CTC-TLWT-G2 | 15   | 14.5 | 2 | 4 | 2.5 |
| CTC-TLWT-G3 | 15   | 14.5 | 2 | 4 | 3   |
| CTC-TLWT-G4 | 16.1 | 14   | 2 | 5 | 2   |
| CTC-TLWT-G5 | 16.1 | 14   | 2 | 5 | 3   |



Unit: mm

| Type        | L    | W    | T | d | R   |
|-------------|------|------|---|---|-----|
| CTC-TLWT-H1 | 15   | 14.5 | 2 | 4 | 2   |
| CTC-TLWT-H2 | 15   | 14.5 | 2 | 4 | 2.5 |
| CTC-TLWT-H3 | 15   | 14.5 | 2 | 4 | 3   |
| CTC-TLWT-H4 | 16.1 | 14   | 2 | 5 | 2   |
| CTC-TLWT-H5 | 16.1 | 14   | 2 | 5 | 3   |



Unit: mm

| Type        | L  | W    | T | d | R   |
|-------------|----|------|---|---|-----|
| CTC-TLWT-I1 | 12 | 14.5 | 2 | 4 | 2   |
| CTC-TLWT-I2 | 12 | 14.5 | 2 | 4 | 2.5 |
| CTC-TLWT-I3 | 12 | 14.5 | 2 | 4 | 3   |




Unit: mm

| Type        | L    | W    | T | d | R |
|-------------|------|------|---|---|---|
| CTC-TLWT-J1 | 19.6 | 15.2 | 2 | 4 | 2 |
| CTC-TLWT-J2 | 19.6 | 15.2 | 2 | 4 | 3 |



Unit: mm

| Type        | L  | W    | T | d | R   |
|-------------|----|------|---|---|-----|
| CTC-TLWT-K1 | 12 | 14.5 | 2 | 4 | 2   |
| CTC-TLWT-K2 | 12 | 14.5 | 2 | 4 | 2.5 |
| CTC-TLWT-K3 | 12 | 14.5 | 2 | 4 | 3   |



Unit: mm


| Type        | L    | W    | T | d | R |
|-------------|------|------|---|---|---|
| CTC-TLWT-L1 | 19.6 | 15.2 | 2 | 4 | 2 |
| CTC-TLWT-L2 | 19.6 | 15.2 | 2 | 4 | 3 |



中钨在线(厦门)科技有限公司 CHINATUNGSTEN ONLINE (XIAMEN) MANU. & SALES CORP.

厦门市软件园二期望海路 25 号 3楼 [www.chinatungsten.com](http://www.chinatungsten.com) [sales@chinatungsten.com](mailto:sales@chinatungsten.com)

传真: 0592 512 9797 电话: 0592 512 9696/512 9595/ 13806045308



Unit: mm

| Type        | L  | W  | T | d | R |
|-------------|----|----|---|---|---|
| CTC-TLWT-M1 | 12 | 18 | 2 | 4 | 2 |
| CTC-TLWT-M2 | 12 | 18 | 2 | 4 | 3 |
| CTC-TLWT-M3 | 12 | 18 | 2 | 4 | 2 |
| CTC-TLWT-M4 | 12 | 18 | 2 | 4 | 3 |
| CTC-TLWT-M5 | 12 | 18 | 2 | 4 | 2 |
| CTC-TLWT-M6 | 12 | 18 | 2 | 4 | 3 |
| CTC-TLWT-M7 | 12 | 18 | 2 | 4 | 2 |
| CTC-TLWT-M8 | 12 | 18 | 2 | 4 | 3 |